



Report number: SP24110053-038

examining report

TEST REPORT

Sample name	Probiotic Capsules
client	Xi 'an Senboeln Biological Co., LTD
Type of test	consignment

Heilongjiang Huakaidi Testing Technology Co., LTD

Heilongjiang Huakaidi Testing Technology Co., Ltd



华凯迪检测
HuaKaiDi testing

Report number: SP24110053-038

Heilongjiang Huakaidi Testing Technology Co.,LTD. Test report

1 of 5 pages

Sample name	Probiotic capsules		
specifications and models	0.6g/seed × 60 seeds/bottle	sample size	60 bottles/batch
date of manufacture	April 19,2025 / 20 April 2025 / 21 April 2025	lot number	A250401/ A240402/ A240403
Sample grade	——	trademark	——
Source of samples	Customer mailing	Sample status	solid body
Entrusting unit and address	Xi 'an Senbenjie Biological Technology Co., LTD Room 409, Orange Space, Gaoxin 3rd Road, High-tech Zone, Xi 'an, Shaanxi Province		
Manufacturer and address	Xi 'an Senbenjie Biological Technology Co., LTD Room 409, Orange Space, Gaoxin 3rd Road, High-tech Zone, Xi 'an, Shaanxi Province		
Date of receipt of samples	29 April 2025	Date of test	29 April 2025 -July 14,2025
surveillance project	Ash, lead (calculated as Pb), total bacterial count and other 14 items		
Judicial basis	Technical Requirements for Health Food Products Gel Probiotic Hard Capsules 》		
Test conclusion	This report only provides the conclusion of a single test. See the attached report for details. 		
remarks	——		

Lead for Inspec-

刘增顺

auditor

华凯迪

approver

张东

date of issue

July 14,2025



华凯迪检测
HuaKaiDi testing

Report number: SP24110053-038

Heilongjiang Huakaidi Testing Technology Co.,LTD. Test report

2 of 5 pages

order number	surveillance project		unit	Standard limits	The test results are sent to the original sample			Single conclusion	test method
					A250401	A250402	A250403		
1	sensation	colour and lustre	/	The contents are pale pink to pink	The contents are pink	The contents are pink	The contents are pink	qualified	GB 16740-2014 (3.2)
		Taste and smell	/	It has the taste and smell unique to this product, without odor	It has the taste and smell unique to this product, without odor	It has the taste and smell unique to this product, without odor	It has the taste and smell unique to this product, without odor	qualified	
		state	/	Capsule, no foreign body visible to normal vision	Capsule agent, no foreign body visible to normal vision	Capsule, no foreign body visible to normal vision	Capsule agent, no foreign body visible to normal vision	qualified	
2	Water		g/100g	≤ 8.0	5.39	5.36	5.37	qualified	GB 5009.3-2016 First Law
3	disintegration time limited		min	≤ 60	13	14	13	qualified	Pharmacopoeia of the People's Republic of China 2020 Edition Part IV General Rule 0921
4	ash content		%	≤ 20.0	0.64	0.67	0.62	qualified	GB 5009.4-2016 First Law
5	Lead (measured as Pb)		mg/kg	≤ 2.0	Not detected (<0.04)	Not detected (<0.04)	Not detected (<0.04)	qualified	GB 5009.12-2023 First Law
6	Total arsenic (measured as As)		mg/kg	≤ 1.0	Not detected (<0.04)	Not detected (<0.04)	Not detected (<0.04)	qualified	GB 5009.11-2024 Part 1, Section 1
7	Total mercury (measured in Hg)		mg/kg	≤ 0.3	Not detected (<0.01)	Not detected (<0.01)	Not detected (<0.01)	qualified	GB 5009.17-2021 Part 1, Section 1
8	total numbers of co-lony		CFU/50mg	$\leq 5 \times 10^9$	<10	<10	<10	qualified	GB 4789.2-2022
9	coligroup		MPN/g	≤ 0.92	<0.3	<0.3	<0.3	qualified	GB 4789.3-2016 First Law
10	Molds and yeasts		CFU/g	≤ 50	<10	<10	<10	qualified	GB 4789.15-2016 First Law
11	staphylococcus aureus		/25g	≤ 0	not detected	not detected	not detected	qualified	GB 4789.10-2016 First Law
12	salmonella		/25g	≤ 0	not detected	not detected	not detected	qualified	GB 4789.4-2024
13	content uniformity		g	0.6±0.05×10%(no more than 2 particles exceed the limit of dosage difference, and no more than 1 particle exceeds the limit of 1 times)	up to specification	up to specification	up to specification	qualified	Pharmacopoeia of the People's Republic of China 2020 Edition Part IV General Rule 0103



华凯迪检测
HuaKaiDi testing

Heilongjiang Huakaidi Testing Technology Co.,LTD. Test report

Report number: SP24110053-038

3 of 5 pages

order number	surveillance project		unit	Standard limits	detection result			Single conclusion	test method
					Temperature 37±2℃, relative humidity 75±5%, placed for one month	A240401	A240402	A240403	
1	sensation	colour and lustre	/	The contents are pale pink to pink				qualified	GB 16740-2014 (3.2)
		Taste and smell	/	It has the taste and smell unique to this product, without odor	It has the taste and smell unique to this product, without odor	It has the taste and smell unique to this product, without odor	It has the taste and smell unique to this product, without odor	qualified	
		state	/	Capsule, no foreign body visible to normal vision	Capsule agent, no foreign body visible to normal vision	Capsule agent, no foreign body visible to normal vision	Capsule agent, no foreign body visible to normal vision	qualified	
2	Water		g/100g	≤8.0	5.42	5.44	5.38	qualified	GB 5009.3-2016 First Law
3	disintegration time limited		min	≤60	14	13	13	qualified	Pharmacopoeia of the People's Republic of China 2020 Edition Part IV General Rule 0921
4	ash content		%	≤20.0	0.61	0.63	0.59	qualified	GB 5009.4-2016 First Law
5	Lead (measured as Pb)		mg/kg	≤2.0	Not detected (<0.04)	Not detected (<0.04)	Not detected (<0.04)	qualified	GB 5009.12-2023 First Law
6	Total arsenic (measured as As)		mg/kg	≤1.0	Not detected (<0.04)	Not detected (<0.04)	Not detected (<0.04)	qualified	GB 5009.11-2024 Part 1, Section 1
7	Total mercury (measured in Hg)		mg/kg	≤0.3	Not detected (<0.01)	Not detected (<0.01)	Not detected (<0.01)	qualified	GB 5009.17-2021 Part 1, Section 1
8	total numbers of co-lony		CFU/50mg	≤5×10 ⁹	<10	<10	<10	qualified	GB 4789.2-2022
9	coli group		MPN/g	≤0.92	<0.3	<0.3	<0.3	qualified	GB 4789.3-2016 First Law
10	Molds and yeasts		CFU/g	≤50	<10	<10	<10	qualified	GB 4789.15-2016 First Law
11	staphylococcus aureus		/25g	≤0	not detected	not detected	not detected	qualified	GB 4789.10-2016 First Law
12	salmonella		/25g	≤0	not detected	not detected	not detected	qualified	GB 4789.4-2024
13	content uniformity		g	0.6 ± 0.05×10% (no more than 2 particles exceed the limit of dosage difference, and no more than 1 particle exceeds the limit of 1 times)	up to specification	up to specification	up to specification	qualified	Pharmacopoeia of the People's Republic of China 2020 Edition Part IV General Rule 0103



华凯迪检测
HuaKaiDi testing

Heilongjiang Huakaidi Testing Technology Co.,LTD. Test report

Report number: SP24110053-038

4 of 5 pages

order number	surveillance project		unit	Standard limits	detection result			Single conclusion	test method
					Temperature 37±2℃, relative humidity 75±5%, placed for two months				
				A240401	A240402	A240403			
1	sense organ	colour and lustre	/	The contents are pale pink to pink	The contents are pink	The contents are pink	The contents are pink	qualified	GB 16740-2014 (3.2)
		Taste and smell	/	It has the taste and smell unique to this product, without odor	It has the taste and smell unique to this product, without odor	It has the taste and smell unique to this product, without odor	It has the taste and smell unique to this product, without odor	qualified	
		state	/	Capsule agent, no foreign body visible to normal vision	Capsule agent, no foreign body visible to normal vision	Capsule agent, no foreign body visible to normal vision	Capsule agent, no foreign body visible to normal vision	qualified	
2	Water		g/100g	≤8.0	5.45	5.48	5.42	qualified	GB 5009.3-2016 First Law
3	disintegration time limited		min	≤60	14	14	14	qualified	Pharmacopoeia of the People's Republic of China 2020 Edition Part IV General Rule 0921
4	ash content		%	≤20.0	0.63	0.60	0.62	qualified	GB 5009.4-2016 First Law
5	Lead (measured as Pb)		mg/kg	≤2.0	Not detected (<0.04)	Not detected (<0.04)	Not detected (<0.04)	qualified	GB 5009.12-2023 First Law
6	Total arsenic (measured as As)		mg/kg	≤1.0	Not detected (<0.04)	Not detected (<0.04)	Not detected (<0.04)	qualified	GB 5009.11-2024 Part 1, Section 1
7	Total mercury (measured in Hg)		mg/kg	≤0.3	Not detected (<0.01)	Not detected (<0.01)	Not detected (<0.01)	qualified	GB 5009.17-2021 Part 1, Section 1
8	total numbers of colony		CFU/50mg	≤5×10 ⁹	<10	<10	<10	qualified	GB 4789.2-2022
9	coli group		MPN/g	≤0.92	<0.3	<0.3	<0.3	qualified	GB 4789.3-2016 First Law
10	Molds and yeasts		CFU/g	≤50	<10	<10	<10	qualified	GB 4789.15-2016 First Law
11	staphylococcus aureus		/25g	≤0	not detected	not detected	not detected	qualified	GB 4789.10-2016 First Law
12	salmonella		/25g	≤0	not detected	not detected	not detected	qualified	GB 4789.4-2024
13	content uniformity		g	0.6 ± 0.05×10% (no more than 2 particles exceed the limit of dosage difference, and no more than 1 particle exceeds the limit of 1 times)	up to specification	up to specification	up to specification	qualified	Pharmacopoeia of the People's Republic of China 2020 Edition Part IV General Rule 0103



华 凯 迪 检 测
Hua Kai Di testing

Heilongjiang Huakaidi Testing Technology Co.,LTD. Test report

Report number: SP24110053-038

5 of 5 pages

order number	surveillance project		unit	Standard limits	detection result			Single conclusion	test method
					Temperature 37±2°C, relative humidity 75±5%, placed for three months				
				A240401	A240402	A240403			
1	sensitive organs	colour and lustre	/	The contents are pale pink to pink	The contents are pink	The contents are pink	The contents are pink	qualified	GB 16740-2014 (3.2)
		Taste and smell	/	It has the taste and smell unique to this product, without odor	It has the taste and smell unique to this product, without odor	It has the taste and smell unique to this product, without odor	It has the taste and smell unique to this product, without odor	qualified	
		state	/	Capsule agent, no foreign body visible to normal vision	Capsule, no foreign body visible to normal vision	Capsule agent, no foreign body visible to normal vision	Capsule agent, no foreign body visible to normal vision	qualified	
2	Water		g/100g	≤8.0	5.51	5.49	5.53	qualified	GB 5009.3-2016 First Law
3	disintegration time		min	≤60	14	13	14	qualified	Pharmacopoeia of the People's Republic of China 2020 Edition Part IV General Rule 0921
4	ash content		%	≤20.0	0.66	0.61	0.63	qualified	GB 5009.4-2016 First Law
5	Lead(measured as Pb)		mg/kg	≤2.0	Not detected (<0.04)	Not detected (<0.04)	Not detected (<0.04)	qualified	GB 5009.12-2023 First Law
6	Total arsenic (measured as As)		mg/kg	≤1.0	Not detected (<0.04)	Not detected (<0.04)	Not detected (<0.04)	qualified	GB 5009.11-2024 Part 1, Section 1
7	Total mercury (measured in Hg)		mg/kg	≤0.3	Not detected (<0.01)	Not detected (<0.01)	Not detected (<0.01)	qualified	GB 5009.17-2021 Part 1, Section 1
8	total numbers of colony		CFU/50mg	≤5×10 ⁹	<10	<10	<10	qualified	GB 4789.2-2022
9	coli group		MPN/g	≤0.92	<0.3	<0.3	<0.3	qualified	GB 4789.3-2016 First Law
10	Molds and yeasts		CFU/g	≤50	<10	<10	<10	qualified	GB 4789.15-2016 First Law
11	staphylococcus aureus		/25g	≤0	not detected	not detected	not detected	qualified	GB 4789.10-2016 First Law
12	salmonella		/25g	≤0	not detected	not detected	not detected	qualified	GB 4789.4-2024
13	content uniformity		g	0.6±0.05×10%(no more than 2 particles exceed the limit of dosage difference, and no more than 1 particle exceeds the limit of 1 times)	up to specification	up to specification	up to specification	qualified	Pharmacopoeia of the People's Republic of China 2020 Edition Part IV General Rule 0103

*** The Following Blanks ***

检测公司
章



statement

EXPLANATION

1. The inspection and test report is a printout. If it is altered, abridged, without the signature of the approver, or does not bear the "Heilongjiang Huakaidi Testing Technology Co., LTD. Inspection and testing special seal" and the seam seal, it is invalid.

The inspection and testing report is a printed copy, altered, deleted, and signed by the approver, and the "special seal for inspection and testing of Heilongjiang Huakaidi Testing Technology Co., Ltd." and the sewing seal are invalid.

2. This report shall not be reproduced (except full text reproduction) without the approval of the Company, and shall not be used as advertising.

Without the approval of our company, the report shall not be copied (except full-text copy), and shall not be used for advertising.

3. If you have any objection to the report data, please submit it to our company within 15 days from the date of receiving the report. Overdue will not be accepted. Microbial test samples will not be retested.

If you have any objection to the report data, please submit it to our company within 15 days after receiving the report, it will not be accepted if it is overdue. Microbiological test samples are not retested.

4. Entrusted inspection: refers to the inspection conducted by the entrusting party according to the standard or contract, and the inspection results are only applicable to the samples provided by the entrusting party.

Entrusted inspection: means that the consignor delivers the sample for inspection, our company inspects it according to the standard or contract, and the inspection result is only applicable to the sample provided by the consignor.

5. Subcontracted inspection items are marked with * in the report.

The items marked with "*" in the report are subcontracted inspection items.

6. This inspection report is made in duplicate, one copy shall be archived by the quality management department of our company, and one copy shall be submitted to the testing unit or customer. If the customer needs, additional copies can be provided.

The testing report shall be made in duplicate, one of which shall be archived by the quality management department of our company and one of which shall be submitted to the inspection unit or the customer. If the customer has any need, the number of copies may be increased.

Heilongjiang Huakaidi Testing Technology Co., LTD

Heilongjiang Huakaidi Testing Technology Co., Ltd

Address: No.005, South Beijing Road, Niujia Industrial Park, Wuchang City, Harbin

Tel: +4518045019780 Post code: 150000

005